

FilterBench Downdraft Table with carbon filter

A self-contained downdraft table used for extraction and filtering of dust and odour.



FilterBench Downdraft Table with carbon filter

- ✓ Easy to use and always with extraction at hand
- ✓ Pre-filter (G4) and carbon filters as standard
- ✓ Simple on/off push button control making the product easy to understand and operate
- ✓ Fan inverter included as standard making it possible to optimize air flow and minimize energy consumption
- ✓ Castors with swivel and brake included as standard making the product easy and safe to move and position

The Nederman Filterbench Carbon range of downdraught benches are designed to control airborne particulate and odour arising from gluing, de-greasing, painting and similar applications. The FilterBench Carbon is available in three different sizes. Easy to use and always with extraction at hand. The FilterBench Carbon should not be used in an environment with danger of explosions or for dust in explosive concentrations. The FilterBench should not be used for hot or spark generating processes such as welding fumes or metal grinding.

FilterBench Downdraft Table with carbon filter


Certifications	CE
Filter efficiency (%)	99.9
Installation	Indoor
Application	Dust, Fumes
Power Voltage (V)	230
Frequency (Hz)	50
No of phases	1
Electric plug	Euro (CEE 7/2 P+E)
Filter cleaning method	One way filter

Models

	Item no	[ItemMounting]	Max airflow (m³/h)	Weight (kg)	Power (kW)
	73000119	[mobile]	2300	230	0,5
	73000538		2300	280	0,5
	73000120	[mobile]	4600	340	1
	73000121	[mobile]	6900	470	1,5

Accessories

	Accessory	Item no
	Carbon Filter 562mm x 250mm x 50mm	73000086
	Plain rubber mat 740 × 300 × 5mm - sp	73000072
	Perforated rubber mat 740 × 770 × 5mm FB -sp	73000082
	Colourcell 562mm x 250mm x 50mm	73000087
	Prefilter G4 for FilterBench	12376528



A: FilterBench 23 B: FilterBench 46 C: FilterBench 69

